

# Prueba de vaciado gástrico



## ¿Qué es una prueba de vaciado gástrico?

La prueba de vaciado gástrico es un examen que mide la rapidez con la que el estómago de su niño digiere los alimentos. Durante esta prueba también se estudia el reflujo del esófago en su niño. Este reflujo ocurre cuando el ácido estomacal se regresa hacia arriba por el esófago.

Esta prueba requiere un radioindicador (medicamento radioactivo). Este lo tomará su niño mezclado en su leche o fórmula. Si no toma nada por vía oral, se lo daremos vía tubo gástrico.

## ¿Cómo preparar a mi niño para la prueba?

Su niño no podrá ni comer ni beber por 4 horas antes del examen. Tampoco debe ingerir bario (líquido de contraste radiográfico) por 48 horas antes del examen.

La leche o fórmula se usan generalmente para esta prueba, pero hay otras opciones. A veces el doctor que ordena el examen pide usar alimentos sólidos.

Si su niño es alérgico a la leche, favor avisar con anticipación al 206-987-2089.

Si tiene colocada una sonda gástrica, sírvase traer suficiente cantidad de fórmula para una comida, más los conectores y sondas necesarias.

Vista a su niño con ropa cómoda y sin cremalleras o broches metálicos. Recomendamos los juegos de sudadera.

Durante la prueba su niño puede ver un video o DVD de los nuestros, o traer uno de sus favoritos de casa.

### Para más información

- Radiología  
206-987-2089
- El proveedor de atención médica de su niño
- [www.seattlechildrens.org](http://www.seattlechildrens.org)

### Servicios gratis de interpretación

- Dentro del hospital, solicítelo con la enfermera de su niño.
- Fuera del hospital, llame a nuestra línea gratis de interpretación telefónica  
1-866-583-1527.  
Menciónale al intérprete el nombre de la persona o extensión que necesita.
- Para personas sordas y con problemas de audición  
206-987-2280 (TTY)

### ¿Dónde nos presentaremos el día de la cita?

Favor llegar 20 minutos antes de su cita. La tardanza puede afectar otras citas y retrasar la suya. Si viene retrasado, llame por favor al departamento de Radiología al 206-987-2089.

Favor de presentarse en el registro del 4to piso, por la entrada “Ballena”. Al completar su registro, se le dirigirá al área de recepción de Radiología.

### ¿Qué sucede durante la prueba?

El técnico le explicará el procedimiento a usted y a su hijo. Dependiendo de lo que prefiera su hijo o de su situación médica, le ofreceremos beber leche pura o con chocolate, o leche en fórmula. Su niño tendrá que terminar su leche en 5 minutos. Si no puede tomar alimentos por la boca, el técnico le dará la fórmula a través del tubo gástrico.

Después de tomarla, su niño se acostará en el mesón o camilla y comenzará el estudio. La máquina le tomará fotos por una hora. La cámara, ubicada sobre el mesón, se le acercará pero no tocará el cuerpo de su niño. Durante el estudio su niño podrá ver una película. Para ésta prueba no usamos anestesia.

### ¿Qué ocurrirá después de la prueba?

Su niño no tiene que seguir instrucciones especiales después de la prueba.

Las imágenes obtenidas durante la prueba de su niño se estudiarán dentro de un período de 24 horas y el reporte resultante será enviado al doctor que ordenó el estudio.



# Gastric Emptying Exam



## What is a gastric emptying exam?

A gastric emptying exam is a test that measures how fast your child's stomach digests food. We also study esophageal reflux in your child during this exam. Esophageal reflux is when acid from your child's stomach moves backwards into their esophagus.

A tracer (radiopharmaceutical) is needed for this exam. We will mix it in milk or formula and have your child drink it. If your child does not eat by mouth, we will use their G-tube.

## How do I prepare my child for the exam?

Your child cannot have anything to eat or drink for 4 hours before the exam. Your child should not receive barium (radiographic contrast agent) 48 hours before the exam.

Milk or formula is most often used for this exam, but other options are available. Solid food is sometimes requested by the ordering doctor.

If your child has an allergy to milk, please contact Radiology at 206-987-2089 ahead of time.

If your child has a G-tube, please bring enough formula for one feeding, as well as the right tubing and connectors.

Dress your child comfortably in clothes without zippers or metal snaps. Sweats are a good choice.

We have videos your child can watch or they can bring their favorite video or DVD from home to watch during the exam.

### To Learn More

- Radiology  
206-987-2089
- Ask your child's nurse or doctor
- [www.seattlechildrens.org](http://www.seattlechildrens.org)

### Free Interpreter Services

- In the hospital, ask your child's nurse.
- From outside the hospital, call the toll-free Family Interpreting Line 1-866-583-1527. Tell the interpreter the name or extension you need.
- For Deaf and hard of hearing callers  
206-987-2280 (TTY).

### How do we check in for the appointment?

Arrive 20 minutes before your scheduled appointment. Being late can affect other appointments and can delay your appointment. If you will be late, please call Radiology at 206-987-2089.

Check in at the 4th floor registration desk inside the Whale entrance. After you complete registration, you will be directed to the Radiology reception area.

### What happens during the exam?

The technologist will explain the study to you and your child. Based on your child's preference or medical situation, we will ask them to drink milk (chocolate or white) or formula. Your child will need to finish the milk within 5 minutes. If your child does not eat by mouth, the technologist will give formula through your child's G-tube.

After drinking, your child will lie on the table and the scan will begin. We will take pictures for one hour. The camera will be above the table and will come close to, but will not touch, your child. Your child will be able to watch a movie during the scan. We do not use anesthesia for this exam.

### What happens after the exam?

There are no special instructions for your child to follow after the exam.

The images from your child's test are reviewed within 24 hours and a report will be sent to the doctor who ordered the test.