

cis | EasyScript Best Practices

1

Medication Profile

Name	SIG	D.	C.	I.	...	Provider	Start	Last Update
Medication(s) Being Given								
Current								
ursodiol	50 mg = 2 mL PO 3 times a day, routine, Start date/time 01/23/08 20:00:00					Test, MD	01/23/08 20:...	01/23/08 16:...
ursodiol	75 mg = 3 mL PO 3 times a day, routine, Start date/time 01/23/08 20:00:00					Test, MD	01/23/08 20:...	01/24/08 15:...
Past								
Prescription(s)/Home Medication(s)								
Current								
Rx gabapentin (gabapentin 100 mg oral tablet)	1 tablet(s)	PO	3 times a day	#90 tablet(s)	0 Refills	0 Tot. Refills	Test, MD	09/27/07 13:... 09/27/07 14:...
Rx docusate (docusate sodium 50 mg oral capsule)	1 cap(s)	PO	2 times a day	#60 cap(s)	0 Refills	0 Tot. Refills	Test, MD	09/27/07 13:... 09/27/07 14:...
Rx amoxicillin (amoxicillin 500 mg oral capsule)	1 cap(s)	PO	3 times a day	#30 cap(s)	0 Refills	0 Tot. Refills	Test, MD	09/27/07 13:... 09/27/07 14:...
Past								

1) Always start at the Medication Profile

2) Right Click and Prescribe
Right click in an open white area & choose Prescribe

2

- Prescribe...
- Add Medication by Hx...
- Select All Active Rx
- Deselect All
- Print List -- Active Medications
- Print List -- All Medications

3

3) Search:
Type Amox and hit enter key
– then select amoxicillin from the list

Search: amox

- amoxicillin
- amoxicillin-clavulanate
- amoxicillin-clavulanate
- amoxicillin-clavulanate 400 mg-57 ... beta-lactamase inhibitors
- amoxicillin-clavulanate 400 mg-57 ... beta-lactamase inhibitors
- amoxicillin-clavulanate 500 mg-125 ... beta-lactamase inhibitors
- amoxicillin-clavulanate 600 mg-42.9... beta-lactamase inhibitors
- amoxicillin-clavulanate 875 mg-125 ... beta-lactamase inhibitors
- amoxicillin-clavulanate extended rel... beta-lactamase inhibitors
- amoxicillin/clarithromycin/lansopraz... miscellaneous GI agents

3) Use the Typical Orders/Prescriptions when you can – it saves time

Typical orders/prescriptions

- 250 mg PO Q 12 hrs, Dispense suspension
- 500 mg PO Q 12 hrs, Dispense suspension
- PO Q 12 hrs, 40-45 mg/kg/dose; Dispense suspension, Indication: Otitis

cis | EasyScript Best Practices

4

4) Fill in the details for the script

o, Mark A. MD - Inpatient - Unknown MRN: 11621356 (CHMC MRN)

All Allergy Drug Reference

Select -->

Category
tidepressants
cillins
nase inhibitors
nase inhibitors
nase inhibitors
nase inhibitors
nase inhibitors
nase inhibitors
nase inhibitors
ous GI agents

Rx: **amoxicillin** Quick sig Short lists

Sig: 500 mg PO Q 12 hrs 10 day(s)

Disp/Supply: <None> Refill: 0 Px date: 01/24/2008

Samples: <0>

PRN: <None>

Instructions: Dispense suspension

Indications: <None>

Comment: <None>

Prescriber: Del Beccaro, Mark A. MD

Address: T-0111 - Medical Administration 4 Leaflet: No leaflet

Routing: Print Rx CHMC

Order Details ▾

DAW
 Print DEA
 Historical

***** Make sure you put in a duration *****
This is very important to get a stop date!



Rx: **amoxicillin**

Sig: 500 mg PO Q 12 hrs 10 day(s)

Disp/Supply: <None> Refill: 0 Px date: 01/24/2008 Stop date: 02/03/2008

Samples: <0>

PRN: <None>

Stop date present

1) Click once in the Disp Field and let go of the mouse (it will be blue)
2) Use the keyboard and type the number 10, space and letter d for day if you want a 10 day supply

3) Now hit the ENTER KEY 2 times (Trust us it works)

cis | EasyScript Best Practices

Rx: **amoxicillin**
Sig: 500 mg PO
Disp/Supply: 10 day(s) supply Refill: 0
Samples: 10 day(s) supply
PRN: 10 week(s) supply
Instructions: 10 month(s) supply
Indications: 10 troche(s)
Comment: 10 jar
Prescriber: 10 fish
Address: 10 time(s)
Routing: 10 inhaler
10 tube
10 amp
10 bag
10 bottle(s)
10 box(es)

4) Now pick the supply amount

Rx: **amoxicillin**
Sig: 500 mg PO Q 12 hrs 10 day(s)
Disp/Supply: 10 day(s) supply Refill: 0 Fx date: 01/24/2008 Stop date: 02/03/2008
Samples: <0>
PRN: <None>
Instructions: Dispense suspension
Indications: <None>
Comment: <None>
Prescriber: Del Beccaro, Mark A, MD
Address: T-0111 - Medical Administration 4
Routing: Print Rx
Quick sig
Short lists
Auto stop
DAW
Print DEA
Historical
Order Details

Print...	Acti...	Name	SIG	C	L...	I...	Provider	Start
Rx O...		amoxicillin	500 mg PO Q 12 hrs x10 day(s) #10 day(s) sup... 0 Refills				Del Beccaro, Mark A, ...	01/24/08 22:48

**You can add instructions
Refill amounts (if appropriate)
Start new scripts or sign (do all the scripts first before signing)
Retrieve your printed script and sign it**

Remove Remove All Duplicate Add To My List Sign Orders

Remember to write your scripts and do the reconciliation before discharging the patient. If you need to stop a medication – click on the medication in the medication profile and choose cancel