How to Remove your Child's Long Arm Bivalve Cast Instructions for home

Follow these steps to safely remove your child's cast at home. Call the Orthopedics clinic if you need further help or guidance.

What do I needed?

A quarter or a Flat Head screw driver to help you pry the cast open



Removing the cast

1. Remove the tape around the cast



1 of 6

To Learn More

- Orthopedics 206-987-2109 Opt.4
- Ask your child's healthcare provider
- seattlechildrens.org

Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line,
 1-866-583-1527. Tell the interpreter the name or extension you need.



2. Unfold the sock at each end of the cast



3. Insert a quarter or gently insert a flathead screw driver into the bivalved portion of the cast



4. Gently rotate the quarter or screw driver to open the cast on both sides of the arm



5. Gently pull the cast apart on the top




6. Leave the bottom part of the cast on the lower part of the arm



7. Gently peel the cotton layers off of the cast, exposing the sock underneath







9. Gently pull the sock off of arm



After cast removal care

Once the cast is removed, your child's arm may feel sore, achy, stiff and lightweight for a few days. It may also feel itchy. It is important not to scratch as the skin will be very sensitive.

If your child needs to use a splint

If we tell you that you child needs to use a splint, you will need the lower part of the cast you just removed to make one.

Read our handout PE3360 "How to Make a Splint" (seattlechildrens.org/pdf/3360.pdf) for more information.

Seattle Children's offers interpreter services for Deaf, hard of hearing or non-English speaking patients, family members and legal representatives free of charge. Seattle Children's will make this information available in alternate formats upon request. Call the Family Resource Center at 206-987-2201. This handout has been reviewed by clinical staff at Seattle Children's. However, your child's needs are unique. Before you act or rely upon this information, please talk with your child's healthcare provider.

7/20 PE3337