

Tomografía I-123 MIBG

¿Qué es una tomografía I-123 MIBG?

Una tomografía I-123 MIBG es un estudio que identifica y muestra el lugar donde se encuentran ciertos tipos de cáncer. Se utiliza a menudo para identificar un tipo de cáncer llamado neuroblastoma.

Se inyecta un marcador (radiofármaco) en una de las venas de su hijo a través de un pequeño y delgado catéter intravenoso o por el puerto que ya tiene. Las imágenes se toman 24 horas después de la inyección. Fabricado en instalaciones especiales de la región Midwest, el I-123 MIBG se administra solamente los martes y miércoles.

¿Cómo preparo a mi hijo para el examen?

Todos los niños deben tomar gotas SSKI para este estudio. Las gotas SSKI contienen el yodo necesario para proteger la tiroides de los efectos del medicamento que le inyectamos a su niño durante el estudio. El médico que ordenó el examen para su hijo le dará una receta y las instrucciones. Puede comprar el medicamento en cualquier farmacia.

Vista a su hijo cómodamente con ropa que se pueda sacar fácilmente. La ropa deportiva es una buena opción.

Tenemos videos o puede traer su propio DVD para verlo durante el examen.

Si su hijo necesita anestesia (la medicina para que no sienta nada durante un procedimiento), usted recibirá más instrucciones de la enfermera especializada (*nurse practitioner*) el día anterior al estudio.

¿Dónde registrarnos para la cita?

Llegue 30 minutos antes de la cita. Si llega tarde, puede afectar otras citas y retrasar la suya.

Regístrese en el Registro del nivel 6 en la entrada Océano (Ocean). Una vez que se haya registrado, se le llevará a la recepción de Radiología.

A partir de los 12 años se les pedirá a las niñas una muestra de orina para una prueba de embarazo.

Si va a llegar tarde o tiene preguntas sobre el estudio, comuníquese con Radiología al número 206-987-2089.

Más información

- Radiología
206-987-2089
- Consulte con el proveedor de atención médica de su niño
- seattlechildrens.org

Servicio gratuito de intérprete

- En el hospital solicítelo a la enfermera.
- Fuera del hospital, llame a la línea gratuita de interpretación: 1-866-583-1527. Menciónele al intérprete el nombre de la persona o extensión que necesita.

¿Qué ocurrirá durante la tomografía I-123 MIBG?

El tecnólogo le explicará el examen a usted y a su hijo. Un tecnólogo o enfermera le pondrá una vía intravenosa para la inyección del marcador. Su hijo sólo sentirá una leve molestia, como un pequeño apretón.

El tecnólogo le inyectará un marcador y le pedirá que vuelva en 24 horas para realizar el estudio.

Su hijo estará acostado en una camilla con una cámara por encima y por debajo que se acercará al niño sin tocarlo. El estudio dura aproximadamente 1 hora y su hijo deberá estar acostado durante la toma de imágenes.

Para proveer a los médicos de una imagen tridimensional, es común que durante el estudio se tome una tomografía computarizada por emisión única de positrones (SPECT, por sus siglas en inglés) que toma 30 minutos adicionales.

Para los pacientes menores de 5 años y para los que no pueden quedarse quietos, es posible que se utilice anestesia.

Usted puede quedarse con su hijo durante el estudio a menos que esté anestesiado. Recuerde programar otras actividades para los hermanos.

¿Se usa radiación en la tomografía I-123 MIBG?

Sí, su niño será expuesto a una pequeña cantidad de radiación. Entendemos que existe una preocupación especial acerca de la radiación para los niños. Para minimizar la exposición configuramos el estudio de acuerdo a la edad y el peso de su niño además del área a ser examinada.

Si tiene preguntas acerca del estudio y si es necesario o no, póngase en contacto con el doctor que lo ordenó.

¿Qué pasa después de la tomografía I-123 MIBG?

Continúe dándole las gotas SSKI a su hijo de acuerdo con lo indicado.

Normalmente, un radiólogo lee las imágenes tomadas durante el procedimiento de radiología de su niño en un plazo de 24 horas y envía su reporte al doctor que solicitó el estudio. Si ya tiene una cita programada, su pediatra o un doctor del hospital le explicarán los resultados. Si no es así, llame al pediatra de su niño para pedirlos.

I-123 MIBG Scan

What is an I-123 MIBG scan?

An I-123 MIBG scan is a test that finds and shows where certain types of cancer are. It is often used to find a type of cancer called neuroblastoma.

We will inject a tracer (radiopharmaceutical) into one of your child's veins. It will be injected through a small, thin tube (IV catheter) or the existing port. The imaging portion of the test takes place 24 hours after the injection. The I-123 MIBG tracer is made in a special facility in the mid-west and is only available for administration on Tuesday and Wednesdays.

How do I prepare my child for the test?

All children must have SSKI drops for this test. SSKI drops provide iodine that protects your child's thyroid from the medicine we inject during the scan. The doctor who ordered the test for your child will give you a prescription and instructions for the SSKI drops. You can fill the prescription at any pharmacy.

Dress your child comfortably in clothes that can be easily removed. Sweats are a good choice.

We have videos your child can watch, or they can bring their favorite video or DVD from home to watch during the test.

If your child needs anesthesia (medicine to reduce sensation during the procedure), you will receive more instructions from the nurse practitioner the day before the scan.

How do we check in for the appointment?

Arrive 30 minutes before your scheduled appointment. Being late can affect other appointments and can delay your appointment.

Check in at the level 6 registration desk inside the Ocean entrance. After you complete registration, you will be directed to the Radiology reception area.

Upon arrival, females 12 years and older will be asked to provide a urine sample for pregnancy screening.

If you will be late or have questions about testing, please call Radiology at 206-987-2089.

To Learn More

- Radiology
206-987-2089
- Ask your child's healthcare provider
- seattlechildrens.org

Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line, 1-866-583-1527. Tell the interpreter the name or extension you need.

What happens during the MIBG scan?

The technologist will explain the test to you and your child. A technologist or nurse will place an IV in your child for the tracer injection. Your child will only feel a little discomfort, like a mild pinch.

The technologist will inject the tracer and ask you to return in 24 hours for the scan.

Your child will lie on an exam table for the scan. A camera will be above and below the table. It will come close to your child but will not touch your child. The scan takes about 1 hour. Your child will have to lie still during the imaging portion of the test.

SPECT imaging (single photon emission computed tomography) is often done during this test. SPECT provides a 3-D image to the doctors. It takes an additional 30 minutes.

Anesthesia may be used for patients 5 years and under, and for those unable to hold still.

You can stay with your child in the exam room, unless your child is under anesthesia. Please make other arrangements for siblings.

Does the I-123 MIBG scan use radiation?

Yes, your child will be exposed to a small amount of radiation. We understand that radiation dose is a special concern for children. To minimize how much radiation your child is exposed to, we customize the I-123 MIBG scan based on your child's age, weight and area to be examined.

If you have questions about the exam and whether it is needed, please contact the doctor who ordered the scan for your child.

What happens after the scan?

Continue to give your child the SSKI drops as prescribed.

The images from your child's radiology procedure are typically reviewed by a radiologist within 24 hours and a report will be sent to the doctor who ordered the test. If you have a clinic or doctor appointment scheduled, the doctor will review the results with you then. If you do not have a visit scheduled, you should call your child's doctor for the results.
