

# Hemangiomas en los bebés

Los hemangiomas son comunes en los bebés. Por lo general, desaparecen a medida que su niño crece.

## ¿Qué es un hemangioma?

Un hemangioma es una acumulación de vasos sanguíneos; es también uno de los problemas más comunes en niños menores de 1 año.

Usualmente, los hemangiomas no están presentes al nacer; tienden a aparecer durante los primeros 2 meses de vida. Se les llama “hemangiomas infantiles” y pueden aparecer en cualquier parte del cuerpo.

Si es rojo, se encuentra en la capa exterior de la piel (superficial). Si es azul, está ubicado más profundo debajo de la piel (profundo). Comúnmente, aparecen combinados.



## ¿Cómo crecen los hemangiomas?

En los bebés, los hemangiomas pueden crecer por varios meses y es raro que crezcan después del año. La mayor parte, en los primeros seis meses. Entre los 6 meses y el año, pueden crecer a la par del bebé o quedarse del mismo tamaño. Después de 1 año, generalmente comienzan el largo y lento proceso de desaparecer llamado involución que puede durar desde los 3 hasta los 12 años. A los 5 años, desaparecen aproximadamente el 50 % de los hemangiomas. A los 7 años, cerca del 70% desaparece por completo.

Aunque tarde o temprano la mayoría desaparece, no todos desaparecen por completo. Puede quedar cierto enrojecimiento, marca, cicatriz o un bulto en la piel. La intervención temprana puede reducir la necesidad de tratamiento más adelante.

1 de 3

### Más información

- Anomalías Vasculares  
206-987-4606
- Dermatología  
206-987-2158
- Consulte con el proveedor de atención médica de su niño
- [seattlechildrens.org](http://seattlechildrens.org)

### Servicio gratuito de intérprete

- En el hospital, solicítelo con la enfermera.
- Fuera del hospital, llame a nuestra línea gratis de interpretación: 1-866-583-1527. Mencionele al intérprete el nombre de la persona o extensión que necesita.

### ¿Causan algún daño?

Aunque algunos hemangiomas no necesitan tratamiento, otros pueden causar problemas de visión, respiración, alimentación o apariencia. A los bebés con varios hemangiomas (hemangiomatosis) se los debe examinar para detectar lesiones internas (hígado, por ejemplo) u otros problemas médicos (como hipotiroidismo).

Los hemangiomas que crecen adentro del cuerpo pueden necesitar tratamiento.

---

### Sangrado

Si, accidentalmente, la piel sobre el hemangioma se lesiona, puede sangrar. Si esto ocurre, presione directamente sobre el lugar donde sangra por un período de 5 a 10 minutos y el sangrado se debe detener. Es raro que sangre mucho. Una vez que para, aplique vaselina o ungüento antibiótico en el área y llame al médico. Se puede colocar un curita. Si no para, llame lo antes posible al doctor o acuda a Emergencias.

---

### Úlceras

Un hemangioma puede formar una llaga, sangrar o ser doloroso, incluso cuando **no** ha habido una lesión. Cuando hay sangrado o dolor en un hemangioma sin lesión, es probable que sea una úlcera o llaga. Esto puede suceder:

- Si el hemangioma crece muy rápido y la piel se irrita.
- Si el hemangioma está en un área con mucho roce (fricción), como el área del pañal.

Se puede ver de color café o café claro y la piel sobre el hemangioma puede estar seca, escamosa o agrietada.

Si esto sucede, aplique vaselina o ungüento antibiótico y llame al doctor. Las úlceras pueden dejar cicatrices. Por lo general, se curan con tratamiento médico o láser.

Reducir el roce (fricción) en el área previene las úlceras. Evite la ropa ajustada, aplique crema para rozadura o vaselina en los hemangiomas que estén en esos lugares, como alrededor del pañal.

---

### ¿Cómo se diagnostican los hemangiomas?

Los hemangiomas los diagnostica un proveedor de atención médica que examina el área, el historial clínico y, a veces, estudios de imágenes (ultrasonido y, rara vez, resonancia magnética o tomografía computarizada).

Si su hijo tiene varios hemangiomas en la piel, el proveedor se puede ordenar un ultrasonido para detectar posibles hemangiomas en el interior del cuerpo.

A veces, los hemangiomas se parecen a otras lesiones. Puede ser necesario tomar una muestra de tejido para examinarlo (biopsia de piel) y confirmar si se trata de un hemangioma.

### ¿Cómo se tratan los hemangiomas?

Tenemos un grupo de proveedores de atención médica que tratan los hemangiomas. Los tratamientos se basan en las necesidades médicas de su niño y la decisión de la familia.

- Muchos de los hemangiomas pequeños no requieren tratamiento, dependiendo de su ubicación.
- Los hemangiomas grandes o que causan problemas para respirar, comer, ver o que afectan el aspecto del bebé, necesitarán tratamiento.

### ¿Cuáles es el tratamiento para los hemangiomas?

- Observar y esperar (observación)
- Medicina en la piel (tratamiento tópico)
- Medicina oral (tratamiento oral)
- Tratamiento láser
- Cirugía

Algunos necesitan más de 1 tratamiento, como medicamentos y rayos láser o medicamento y cirugía. No todos los tratamientos son recomendables para todos los hemangiomas. Su médico le hablará de las opciones que recomienda para su hijo.

### ¿Cuándo debo llamar al doctor?

- Si el hemangioma sangra
- Si el hemangioma se convierte en una úlcera o llaga
- Si tiene preguntas sobre el hemangioma o el tratamiento

### ¿Cómo pido citas?

Llame a las enfermeras del servicio donde ven a su niño.

Anomalías Vasculares

- Seattle, Bellevue y North Clinic en Everett: 206-987-4606, opción 4.

Dermatología

- Seattle y Bellevue: 206-987-2158, opción 4.
- North Clinic en Everett: 425-783-6200, pida hablar con la línea de enfermería de dermatología.
- South Clinic en Federal Way: 253-838-5878, pida hablar con las enfermeras de Dermatología.



# Hemangiomas of Infancy

---

Hemangiomas are common in infancy. They usually fade away as your child grows.

---

## What is a hemangioma?

A hemangioma (hee-man-gee-o-ma) is a collection of extra blood vessels. It is one of the most common skin problems in children under age 1.

Hemangiomas may not be present at birth. They often appear during the first 2 months after birth. When they occur at this time, they are called “hemangiomas of infancy.” Hemangiomas may be anywhere on the body. A hemangioma is usually not painful unless an ulcer or a sore develops on it. We do not know what causes hemangiomas.

If a hemangioma is red, then it is in the top skin layers (superficial). If it is blue, then it is under the skin (deep). Often, it is a combination of these (mixed).



## How do hemangiomas grow?

Hemangiomas of infancy can grow for several months and rarely grow after one year of age. Most of the growth happens in the first 6 months of life. From 6 months to a year, they may grow with the baby or stay the same size. After age 1, they usually begin a long, slow fading process known as “involution.” This process can last from 3 to 12 years. About 50 percent fade by age 5 and about 70 percent fade completely by age 7.

While most hemangiomas eventually fade, they may not go away completely. They can leave behind some redness, textural changes, a residual fatty mass or scar, or extra skin. Early intervention can sometimes reduce the need for treatment at a later time.

1 of 3

### To Learn More

- Vascular Anomalies  
206-987-4606
- Dermatology  
206-987-2158
- Ask your child’s healthcare provider
- [seattlechildrens.org](http://seattlechildrens.org)

### Free Interpreter Services

- In the hospital, ask your nurse.
- From outside the hospital, call the toll-free Family Interpreting Line, 1-866-583-1527. Tell the interpreter the name or extension you need.



### Are hemangiomas harmful?

While some hemangiomas require no treatment, others can cause problems with vision, breathing, feeding, or have an undesirable appearance. Infants who have multiple hemangiomas (hemangiomatosis) may be checked for lesions inside the body (like on the liver) or for other medical problems (such as hypothyroidism).

Hemangiomas that grow inside the body may require treatment.

---

### Bleeding

If the skin over the top of the hemangioma is injured, it may bleed. If this happens, put direct pressure over the bleeding for 5 to 10 minutes and the bleeding should stop. A lot of bleeding is very rare. After the bleeding stops, apply petroleum jelly or antibiotic ointment to the area and call the clinic. You may apply a band-aid. If the bleeding does not stop, then call your child's provider as soon as possible or take your child to the emergency room.

---

### Ulcers

A hemangioma can develop a sore, bleed, or be painful, even when there has **not** been an injury. When there is bleeding or pain in a hemangioma without injury, it is likely an ulcer or a sore. This can happen to some hemangiomas, such as:

- If the hemangioma grows very quickly and the skin becomes irritated
- If the hemangioma is in an area with lots of rubbing (friction), like the diaper area

You may notice brown or tan material on the hemangioma. The skin over the hemangioma may look dry, flaky or cracked.

If this happens, apply petroleum jelly or antibiotic ointment to the area and contact the clinic. Ulcers can cause scarring. They usually heal with medical or laser treatment.

Avoid ulcers by reducing rubbing (friction) to the area. You can do this by avoiding tight fitting clothing or putting a diaper cream or petroleum jelly on hemangiomas that are in areas that get a lot of friction, like the diaper area.

---

### How are hemangiomas diagnosed?

Hemangiomas are diagnosed by a healthcare provider looking at the area, a medical history and sometimes imaging tests (ultrasound, and rarely MRI or CT scan).

If your child has multiple hemangiomas on their skin, the provider may have an ultrasound done to look for hemangiomas inside the body.

Sometimes, hemangiomas can look similar to other lesions. Your provider may need to remove a small piece of the tissue and examine it (skin biopsy) in order to confirm that it is a hemangioma.

### How are hemangiomas treated?

Our health care providers treat hemangiomas as a team. These treatments are based on your child's medical needs and your family's decisions.

- Small hemangiomas often do not require any treatment, depending on location.
- Larger hemangiomas, or ones that cause problems with breathing, feeding, vision, or are in areas that affect how your child looks (cosmetically sensitive areas) need to be treated.

---

### What are the treatments for hemangiomas?

- Watch and wait (observation)
- Medicine used on the skin (topical treatment)
- Medicine taken by mouth (oral treatment)
- Laser treatment
- Surgery

Some hemangiomas need more than 1 treatment, like medicine and laser, or medicine and surgery. Not all treatments are recommended for all hemangiomas. Your provider will talk with you about the treatment options recommended for your child.

---

### When do I call the clinic?

- If your child's hemangioma starts to bleed.
- If your child's hemangioma turns into an ulcer or sore.
- If you have any questions about your child's hemangioma treatment plan.

---

### How do I call the clinic?

Call the nurse line at the clinic where your child was seen.

Vascular Anomalies

- Seattle, Bellevue and North Clinic in Everett: 206-987-4606, option 4

Dermatology

- Seattle and Bellevue: 206-987-2158, option 4
- North Clinic in Everett: 425-783-6200, ask for the dermatology nurse line
- South Clinic in Federal Way: 253-838-5878, ask for the dermatology nurse line