



## **Healthy Youth Survey**

- Biennial survey of Washington public school students
  - · Health status and risk and protective behaviors
  - Combines YRBS, Youth Tobacco Survey, Monitoring the Future and Communities that Care
  - State level random sample of schools
  - 8th,10th, and 12th graders
  - Started in 2002





# Health 2012 HYS participation

The 2012 Healthy Youth Survey was completed...



By 204,929 students...

In 1,077 schools...

In all 39 counties.





## **Purpose**

- Life jacket usage trends.
- · Life jacket usage by race/ethnicity.
- Non-boating trends by teens.





#### **Life Jacket Question**

How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?

- a. Never go boating in a small boat
- b. Never
- c. Less than half the time
- d. About half the time
- e. More than half the time
- f. Always








#### **Methods**


- Analysis of data by grade
- Life jacket usage
- Trend analysis done using the JoinPoint Regression Program



















## **Summary**

- The prevalence of reported life jacket usage while on a small boat has increased modestly among 8<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> graders. Reported usage is not that high, especially for 12<sup>th</sup> graders.
- Use has increased among both boys and girls.
- Use has not increased among all race and ethnic groups.
- The prevalence of never going boating has also increased.

PUBLIC HEALTH
ALWAYS WORKING FOR A SAFER AND
HEALTHIER WASHINGTON



#### **Limitations**

- Public school students only
- Self report data
- Numbers of students in some race groups is small





### Recommendations

- Need to improve life jacket usage among teens.
- Targeted messages may be warranted.



